

Normfinish **Mistral-series**



MI03



MI02




MP02

NORMFINISH MISTRAL-SERIES BLAST CABINETS

- **Rapid and efficient blasting**
- **Blasting process free of interruption**
- **Permanent visibility due to optimal circulation of air and dust filtering**
- **Solid construction**
- Comfortable arm holes
- Good dust sealing
- Large viewing window
- Loading via large doors
- Adjustable blast pressure
- Filtercartridge

THE MISTRAL-SERIES

The Normfinish mistral-series is the economy series, based on the basic Normfinish technology: Blast cabinets developed and produced in the Netherlands. This guarantees for solid quality and a good finishing level. This series is available with injector blast principle and pressure blast principle. Available directly from stock and at an attractive price.





MI03


INJECTOR BLAST CABINET

Blast chamber (W x D x H)	1.110 x 850 x 850 mm
Overall dimensions (W x D x H)¹	1.250 x 1.280 x 1.925 mm
Working height	860 mm
Illumination	20 Watt LED
Weight	260 kg
Door opening (2 pcs.)	750 x 745 mm
Maximum load	350 kg
Filter cartridge	1 x 4 m ²
Power supply	230V/50Hz/0,65 kW
Air consumption²	0,6-1,0 m ³ at 6 bar
Fixed turntable ø 600 mm max. 350 kg	Optional

1) Motor included 2) Depending on diameter air injector



▼ Injector blast principle



MI02


**VERY COMPACT INJECTOR BLAST CABINET,
FITS IN ANY WORKSHOP**

Blast chamber (W x D x H)	790 x 790 x 850 mm
Overall dimensions (W x D x H) ¹	925 x 1.240 x 1.980 mm
Working height	900 mm
Illumination	20 Watt LED
Weight	220 kg
Door opening (2 pcs.)	690 x 750 mm
Maximum load	350 kg
Filter cartridge	1 x 4 m ²
Power supply	230V/50Hz/0,65 kW
Air consumption ²	0,6-1,0 m ³ at 6 bar

1) Motor included 2) Depending on diameter air injector



▼ Injector blast principle



MP02

**VERY COMPACT PRESSURE BLAST CABINET,
FITS IN ANY WORKSHOP**


Blast chamber (W x D X H)	790 x 790 x 850 mm
Overall dimensions (W x D x H) ¹	925 x 1.240 x 1.980 mm
Working height	900 mm
Illumination	20 Watt LED
Weight	235 kg
Door opening (2 pcs.)	690 x 750 mm
Maximum load	350 kg
Filter cartridge	1 x 4 m ²
Power supply	230V/50Hz/0,65 kW
Air consumption ²	±3,0 m ³ at 4 bar

1) Motor included 2) Depending on diameter air nozzle

NORMFINISH
SURFACE TREATMENT



▼ Pressure blast principle



normfinish.com

The Normfinish® brand has been a renowned name in the world of blasting and surface technology for decades. The industrial blasting equipment of Normfinish finds its way to companies all over the world. Blast cabinets of solid quality, reliable and durable. Designed to make your production process more efficient. Based on the many years of expertise of Leering Hengelo, which, with its own engineering department, continuously develops and responds to new developments.

SERVICE

In addition to producing new machinery and equipment, Leering Hengelo also places great importance on professional aftercare and service. With this in mind, we have our own service department with skilled technicians. They are not only experts when it comes to our own equipment, but also have all the specialist knowledge to service similar machines from other manufacturers.

Apart from blast cabinets we also supply and build blastrooms. We also are supplier for high quality [abrasives](#).



CONTACT

Leering Hengelo
T +31 74 255 82 82
info@normfinish.com

Visiting Address

Barnsteenstraat 1
7554 TC Hengelo (OV)
The Netherlands